



CERTIFICATE OF ANALYSIS No.: 2022-9313

Work order:

Analysis ID:

Method ID:

CLIENT

Sample ID:

Sample type:

Batch No .: *

Pharmahemp d.o.o., Cesta v Gorice 8 1000 Ljubljana, Slovenija

2226017

PA40022178A

Paste

SAMPLE * **CBD PASTE 40%**



2022-106675 2022_147 PHL_RPC_12C Method SOP: MET-LAB-003-02

Sample received: 27/06/2022 Start of analysis: 27/06/2022 End of analysis: 28/06/2022 Analyst: Janez Gerdenc

* Information provided by the client.

Sample condition: SUITABLE

CANNABINOID PROFILE		Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV	- Cannabidivarin	5.19	0.26	
CBDA	- Cannabidiolic acid	2.08	0.10	
CBGA	- Cannabigerolic acid	0.043	0.013	
CBG	- Cannabigerol	0.708	0.092	I
CBD	- Cannabidiol	37.6	1.9	
тнсу	- Tetrahydrocannabivarin	1.673	0.084	
CBN	- Cannabinol	< LOQ	n/a	
∆ ⁹ -THC	- Δ-9-Tetrahydrocannabinol	0.123	0.021	I
∆ ⁸ -THC	- Δ-8-Tetrahydrocannabinol	< LOQ	n/a	
CBL	- Cannabicyclol	0.0420	0.0092	I
СВС	- Cannabichromene	0.0383	0.0084	ļ
∆ ⁹ -THCA	- Δ-9-Tetrahydrocannabinolic acid	0.0348	0.0077	ļ
CBE	- Cannabielsoin	0.320 #	0.073	
CBNV	- Cannabivarin	0.220 #	0.037	ļ
CBCA	- Cannabichromenic acid	0.064 #	0.015	ļ
СВТ	- Cannabicitran	< LOQ #	n/a	

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. Expanded Uncertainty was calculated using coverage factor k = 2, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

28/06/2022

End of Certificate

Approved by: VM

mag. Marko Dragan Analytical Laboratory Manager

Authorized by:

Alt

dr. Boštjan Jančar Chief Technology Officer